


AGRICULTURE FORUM FOR TECHNICAL EDUCATION OF FARMING SOCIETY

Kota, Rajasthan



Smart Vegetable Farming: Technologies for Higher Yield and Better Quality

Authors

**Bhargav J. Solanki¹, Khati Malo², Deepak Kumar³
Ashish Kumar⁴, Divyanshu Sharma⁵**

¹Assistant Professor, Department of Animal Nutrition
Vrundavan Polytechnic in Animal Husbandry, Jasdan, Gujarat

²Ph.D. Scholar, Division of Vegetable Science
SKUAST- Jammu, Sher e Kashmir University of Agricultural
Science and Technology Jammu- Chatha, 180009

³Assistant Professor, Department of Agriculture
Mohammad Ali Jauhar University Rampur, Uttar Pradesh

⁴Ph.D. Research Scholar, Department of Horticulture
(Fruit Science), Rajasthan College of Agriculture
MPUAT, Udaipur-313001, Rajasthan

⁵YP-II, Center for Organic and Natural Farming
SKUAST-Jammu

Leaflet History

Received : 24.09.2026

Revised : 29.09.2026

Accepted : 03.10.2026

INTRODUCTION

Vegetable production is a high-maintenance system as most crops are fast growing, are highly responsive to management and experience rapid post-harvest quality degradation. Drought, unpredictable weather, increasing costs of production and labour shortages are making growing ever more difficult. Consumers want their produce to be fresh, nutritious, appealing and safe. Efficient vegetable farming is the integration of good agricultural practices with sensors, digital tools, enhanced cultivation systems, and appropriate farm equipment. These tools allow producers to better know their crop and to act before the situation becomes critical. They are aimed at practical increases in marketable yield, quality retention, reduction in non-preventable loss and stabilisation of income from vegetable production.



2. Understanding Smart Vegetable Farming

Smart farming is about applying accurate information to the management of cultivation systems, rather than relying completely on predetermined schedules or estimation. A farmer may use soil test results,

weather predictions, moisture readings and field manager reports to make a decision about when to irrigate, or apply nutrients. Digital records can show which strain grows best or which field repeatedly succumbs to disease. Technology can be as simple as a mobile app or as complex as a fully automated greenhouse. The right system will depend on the size of the farm, the value of the crop, the skills of those involved and the local conditions. Effective smart farming starts by pinpointing a particular production challenge and selecting a realistic solution.

3. Quality Seeds and Healthy Seedlings

Better yields start with appropriate varieties and quality planting material. Farmers should choose varieties based on climate, disease pressure, market preferences and production system. Varieties for protected cultivation may differ from those for open field. Plug trays, sterile growing media and well-run nurseries contribute to uniform seedlings that have healthy roots. Monitoring of temperature and moisture can improve nursery management, and digital records facilitate the track of seed lots and germination. Still, overwatering, overcrowding and the delayed transplanting must be avoided. Vigorous seedlings also have more uniform stand, which facilitates irrigation, nutrition, crop protection and harvesting throughout the production cycle.

4. Soil Testing and Field Mapping

Productive vegetable fields need careful management of soil fertility, structure, drainage and biology. Soil testing reveals nutrient availability, pH and salinity, and guides growers in fertilizer use. Samples should represent differences across the field, not a random mix of the entire field. Simple digital maps can be

used to note where there are low spots, irrigation zones, and where poor growth consistently occurs. This information helps to determine if the cause of the problem is due to excess water, compaction, high salinity or nutrient imbalance. Advanced equipment may require some initial investment in raised beds, organic amendments and improved drainage. Technology provides better yields when the underlying growing environment is appropriate.



5. Sensors for Continuous Crop Monitoring

Sensors enable growers to check in on conditions between visits to the field. Soil moisture sensors detect changes in root-zone water availability and temperature and humidity sensors characterize the crop environment. In protected structures these values can be used to control ventilation and irrigation. They are also being studied as plant-based sensors to more directly sense water stress. A study of recent work in greenhouse tomato and celery used leaf turgor measurements with machine learning as a method for evaluating the water status of the plant. These types of instruments are promising, but measurements must be calibrated and interpreted.

A sensor placed incorrectly may provide misleading information, making representative installation and regular field checks essential.

6. Precision Irrigation for Healthy Growth

Vegetables require moisture, but overwatering can cause roots to rot, encourage plant diseases, and is a major source of water waste. Precision irrigation uses crop stage, soil properties, weather conditions and moisture measurements to optimize irrigation scheduling. Drip irrigation applies water directly to the roots of plants, minimizing unnecessary wetting between crop rows. Automated controllers can open and close valves when the desired moisture levels are reached. Automated drip irrigation systems have been tested for tomato and pepper plants in both high tunnel and open field conditions. However, the settings must be appropriate for the crop and location. Filters, pressure and emitter discharge must be monitored periodically to ensure consistent and reliable water delivery.

7. Fertigation and Balanced Plant Nutrition

Fertigation applies soluble nutrients in irrigation water and allows the splitting of fertilizer into a number of applications along the crop growth stages. This is beneficial for vegetables that have varying nutrient requirements during periods of establishment, flowering and harvesting. Nutrient type and amount should be determined by soil tests, water analysis, and crop observations. Electrical conductivity is a measure of the overall salt concentration in solution, whereas pH affects nutrient availability in solution. No one measurement covers all potential individual nutrient deficiencies. Over-application of fertilizer may inflate costs, salinity and environmental losses

not yield. A Well fed plant grows healthy and strong but that must be managed with irrigation so the nutrients are kept accessible in the zone of active root growth.


8. Protected Cultivation and Climate Management

Polyhouses, net houses and low tunnels change the growing environment and can provide protection from certain weather conditions and some pests. The effectiveness of these structures is determined by the design of the structure, ventilation, the type of crop being grown and the local climate. Sensors can indicate when temperatures or humidity are too high, allowing growers to open vents, add shading or turn on cooling systems. If structures are not properly managed, they can become too hot or promote disease, so protection is not always enough. For tomato, cucumber and capsicum, training, pruning and proper pollination also affect yield. Smart climate management integrates environmental measurements with horticultural practices to optimize conditions for plant growth and marketable yield.

9. Soilless Cultivation and Hydroponics

Soilless techniques involve growing vegetables in nutrient solutions or inert substrates like cocopeat or perlite. They enable more precise control of water and nutrients, and may be useful in areas where soil is scarce. Leafy greens, cucumber and tomato are grown in these systems. To monitor nutrient-solution pH, electrical conductivity, temperature, and irrigation application, sensors are employed. But hydroponics also demands adequate water quality, appropriate infrastructure, and thorough maintenance. Recirculating systems can transmit root pathogens if sanitation fails, and power outages may

stop water flow. Your success, therefore, depends on your technical acumen and the reliability of your operation, as well as your knowledge of crop physiology and market needs.



10. Digital Pest and Disease Management

Smart crop protection integrates scouting, traps, weather data and analysis leading to early detection. Pictures taken on mobile phones can be used to record symptoms and get recommendations, while digital traps can help in insect surveillance. Alerts based on weather may alert on conditions favourable for certain diseases, prompting more care on the lookout. Image recognition applications can provide a list of potential issues, but the same symptoms could be caused by several different issues. Farmers need to check advice prior to treatment. Resistant cultivars, clean seed, crop rotation, sanitation and biological control are still crucial elements of an integrated management. Precision application, appropriate timing and adherence to preharvest intervals when pesticides are needed to protect both the quality of the crop and the safety of the consumer.

11. Drones and Artificial Intelligence

Drones can cover larger vegetable fields and expose areas with inconsistent growth, irrigation failures or damaged patches. Normal cameras provide visible images, while specialized cameras can identify differences in reflected light or canopy temperature. AI can help interpret the images, count plants and identify anomalies. However, weak growth on an image is not necessarily diagnostic of the underlying problem. Ground truthing is required to differentiate between nutrient deficiency, pests, water stress and soil issues. Small farms may find shared surveying services more advantageous than purchasing equipment. The tools become helpful when the observations result in verified, timely, and economically valuable management actions.

12. Mechanization and Labour-Saving Tools

Vegetable production is a repetitive series of the same operations, for example, bed preparation, transplanting, weeding, spraying and harvesting. Appropriate equipment can enhance timeliness and reduce drudgery. Precision seeders ensure uniform positioning while transplanters can provide uniform establishment under suitable field conditions. Mechanical weeders and guided implements could also reduce labour in the inter rows. Robotic harvesting is emerging, but delicate produce, dense foliage and variable maturity present challenges. Equipment should be adapted to crop spacing, soil type and size of farm. Custom-hiring centres and cooperative ownership may enhance availability. The best investment is a machine that solves a recurring bottleneck and remains affordable to operate.

13. Managing Quality from Field to Harvest

Better quality is achieved even before the vegetables get to the packing shed. Appearance, texture and keeping quality are influenced by Variety, irrigation, nutrition, crop protection and harvest maturity. Abrupt water supply changes may also promote defects in some crops, and minimal water stress at wrong times (or nutrient mismanagement) may cause a decline in marketability. Digital records can also enable growers to link management practice to quality outcome. Cameras and optical instruments can aid in evaluation of size, colour or external damage but ground truthing is still required. Harvesting schedules should be determined based on the crop and the market. Enhancing the fraction of saleable vegetables may be more beneficial than raising total production while permitting faults and reject to increase.

14. Smart Postharvest Handling and Marketing

Vegetables still respire after harvesting, so they need to be handled quickly. Shade, clean crates, careful movement and proper cooling help maintain freshness. Temperature monitoring can help to detect breaks in proper storage conditions during storage and transport. Different crops have different requirements: some vegetables are intolerant of refrigeration temperatures, so no single storage temperature is appropriate for all produce. Digital grading records facilitate consistent packing, and batch identification helps improve traceability. Mobile communication can help to coordinate between the harvested quantities, buyers and means of transport. Matching production to actual demand also helps to reduce unsold crops. Smart farming should thus integrate field management with handling, logistics and market planning.



15. Affordable Adoption and Measurable Benefits

Farmers can start with a modest but practical set of tools: soil sampling, irrigation evaluations, representative moisture sensors and basic digital records. Sophisticated systems should be adopted only if the benefits are sufficient to warrant the cost. Grower organizations can share weather stations, equipment, technical assistance and drone services. Trials in farmers' fields under local conditions allow farmers to assess reliability and performance. Costs should cover maintenance, subscriptions, repairs and training as well as the upfront cost of purchase. Evaluate results by marketable yield, quality, water use, labour and profit per unit area. Information for positive adoption is clear advice, reliable service and technology that the grower can be confident to use at critical crop stages.

CONCLUSION

Smart vegetable farming combines healthy planting material, efficient water and nutrient management, crop monitoring, appropriate machinery and careful postharvest handling. The power is in converting

observations into actions at the right time. Sensors and software help to make decisions, but farmers have to provide the knowledge to understand the living crop and how to manage it. When technology solves real production constraints and is integrated with good horticultural practices, higher yield and better quality are obtained. A phased approach enables growers to learn, test solutions and extend successful practices. Simple tools and effective support can make vegetable farming more productive, sustainable and market-oriented.