

AGRICULTURE FORUM FOR TECHNICAL EDUCATION OF FARMING SOCIETY

Kota, Rajasthan



Precision Horticulture in Fruit Crops: From Sensors to Smart Orchards

Authors

Shivaraj Kumar Verma¹, Pushplata Dawar²
Ashish Kumar³, Naval Kishore Meena⁴

¹Assistant Professor, Department of Horticulture
Udai Pratap Autonomous College
Varanasi-221002, Uttar Pradesh, India

²Agriculture Extension Officer
Department of Entomology

^{3,4}Ph.D. Research Scholar, Department of Horticulture
(Fruit Science), Rajasthan College of
Agriculture, MPUAT, Udaipur-313001, Rajasthan.

Leaflet History


Received : 30.09.2026

Revised : 05.10.2026

Accepted : 10.10.2026

INTRODUCTION

Fruit growing is a long-term commitment as orchards continue to bear fruit for a number of years, and any decisions taken will affect future crops. Drought, increasing input prices, labour shortages, erratic weather and evolving pest pressures are all contributing to making traditional management more challenging. Even within a single orchard, trees vary in growth, productivity and resource needs. Precision horticulture caters for these variations by integrating field observations with sensors, digital maps and decision support tools. It helps growers understand what is happening, where intervention is needed and when action will be most effective. The result can be more efficient management and consistent fruit production.



2. What is Precision Horticulture?

Precision orchard management is to attend to fruit crops based on their specific requirements instead of conventional uniform application in the whole

orchard. It is based on a simple principle: be the right source of input, at the right level, at the right place, at the right time. Soil, weather, tree growth and fruit development data help inform these decisions. A sandy patch, for example, may need shorter, more frequent irrigations than a heavier-soil area. Also, a young orchard and established orchard may require different spray volumes. Precision management transforms these variations into actionable pros to enhance resource use, crop performance and profitability.

3. Understanding Variability within the Orchard

An orchard may look consistent from afar, but there is much heterogeneity beneath the tree canopy. Soil depth, water drainage, fertility, slope and water availability exert an influence on tree performance. Rootstock, cultivar, tree age, disease history and former management are other factors that cause variation. Mapping these variables allows producers to partition an orchard into distinct management zones. A weak spot should be investigated, not simply fed more. Its problem may be waterlogging, damaged roots or uneven irrigation. Knowing the source of variability enables corrective action to be focused and prevents the wasting of inputs that cannot address the root cause.

4. Sensors: The Eyes and Ears of Smart Orchards

Sensors gather data that farmers could not themselves be watching all the time. Soil moisture sensors measure water around the root, temperature and humidity sensors measure the condition of the orchard. A Leaf wetness sensor aids in monitoring favourable periods for a number of diseases. Cameras capture canopy growth, bloom and fruit shape and

size. Plant sensors can also track trunk diameter or water status changes. Studies in ‘Honeycrisp’ apple, for example, have investigated continuous trunk water potential readings with several other measures of tree water status. These devices enhance observation, but their readings must be properly installed, calibrated, and interpreted for the local orchard environment.

5. Precision Irrigation: Every Drop has a Purpose

Irrigation based on a fixed schedule can result in overwatering during cold spells and under watering during hot periods. Precision irrigation integrates soil moisture levels, weather data, crop stage and root distribution information. Sensors placed at appropriate depths can determine if water reaches the zone of active roots or if it travels beyond those roots. Drip lines, in turn, may be set to water different portions of an orchard as per the needs of those blocks. Emitter flow and pressure should be inspected by the grower as sensors cannot fix an irrigation line that is plugged. Good scheduling promotes a healthy root system and minimizes unnecessary water and pumping expenses.



6. Smart Fertigation: Feeding Trees According to Need

Fertigation is a method of supplying soluble fertilizers through the irrigation system in small, timely doses. Precision fertigation integrates this practice with soil and leaf analysis, irrigation scheduling and crop demand. During vegetative growth, flowering, fruit maturation, and postharvest recovery, the nutrient needs are different. Electrical conductivity and pH readings may be used to track irrigation water and fertilizer solutions; however, they do not directly detect every nutrient deficiency. The information from sensors and the laboratory analyses and field observations must be integrated in the decision making. Good scheduling can enhance nutrient availability and minimize over-application, salinization, and leaching past the root zone.

7. Seeing the Orchard from Above

Drones and satellites capture a wider view of orchard status than individual ground readings. Regular cameras can identify gaps in the canopy, uneven growth, and damage that is visible. Multispectral cameras detect reflected light at several wavelength bands, allowing the detection of variations in vegetation status. Infrared cameras under appropriate conditions can reveal patterns in canopy temperature, which may be related to water stress. But a strange image does not establish the reason for it. Similar patterns may be caused by nutrient deficiency, disease, soil compaction or an insufficient supply of water. Growers should check the indicated areas before acting. Remote sensing is useful if the aerial observations result in confirmed and practical management decisions.

8. From Measurements to Meaningful Decisions

Data collection is just the start; its value is in interpretation. Connected devices can send readings to a mobile phone or computer, where software displays trends and alerts. A good dashboard would tell you whether soil moisture is on the decline, whether an irrigation zone requires attention or if a weather condition is conducive to infection. Artificial intelligence can identify patterns in imagery and historical data, but it requires adequate training data to perform. Systems designed for a single cultivar or region, may not work well for others. The grower’s knowledge is still vital to verify strange suggestions and translate the digital data into real orchard situations.

9. Precision Protection Against Pests and Diseases

An intelligent approach to orchard protection also includes periodic monitoring along with weather forecasts, bait stations and spot treatments. Camera-based traps can aid in insect monitoring, weather-based models may predict windows of opportunity for particular diseases. These instruments allow producers to check exposed areas, and treat at better times in the application. Sensor-based sprayers vary output based on canopy characteristics rather than continuously spraying into gaps. Scientists at the USDA have developed techniques utilizing laser sensing to determine tree size, shape and density of foliage. Such technology can increase efficiency of application, but effective protection still relies on accurate diagnosis, appropriate product selection, good coverage and a well-integrated pest management.

10. Managing Canopies and Crop Load

The architecture of the tree affects light interception, flowering, fruit colour, spray deposition and harvesting. Digital images and three-dimensional data can be used to estimate canopy area and detect crowded areas. Flower and fruit observations aid crop load decisions, particularly in situations where the crop is too large affecting size or the tendency to irregular bearing. Camera based counting may aid estimation but leaves, overlapping fruits and shadows obscure part of the crop. Growers should take care to validate the digital predictions with appropriate field counts. Combining measurements with pruning and thinning knowledge helps balance vegetative growth and fruit production while maintaining productive, accessible and well-illuminated canopies.

11. Predicting Yield and Improving Harvest Planning

Accurate yield estimates allow the grower to plan labour, packing, transport and storage and marketing needs before harvest is underway. Digital platforms, for example, may integrate fruit counts, sampled fruit weight and prior production data to predict the size of the harvest. These estimates should be refined as fruits grow or losses take place. Maturity, market destination and storage time need also to be considered in the harvesting decisions. Colour measurements and some other non-destructive sensing techniques may help evaluation, but their applicability is different for different fruit crops and varieties. Field sampling remains essential. Improved scheduling can reduce hasty picking, eliminate transportation bottlenecks, and enhance liaison between orchard operations and buyers.



12. Automation: Turning Information into Action

Automation links a management decision to the device that carries out the action. Irrigation valves might be opened when a scheduling window is satisfied, and controllers may manage the injection of fertilizer. Guidance systems can facilitate machine movement and robotic platforms are under development for monitoring, spraying and harvesting. Orchard conditions are still difficult as branches block passage, fruits are in different positions and uneven terrain complicate operation. Hence automation needs dependable equipment, well-defined operating boundaries and a level of human oversight. Growers should hold the reins when things go wrong. Its greatest value is in successfully completing a tedious task over and over again and allowing labor to be focused on skilled orchard management.

13. Building Resilience to Weather Extremes

Fruit crops are susceptible to high temperature, frost, drought, hail and unseasonal rain. Regional surveillance enables producers to identify emerging threats and to develop suitable responses. Temperature readings at various points in an orchard can identify colder areas and weather predictions inform decisions about watering, spraying and picking. Observing soil and plants during warm weather indicates if water stress is developing in the trees. Yet, surveillance does not avert damage. Alerts need to be tied to actionable responses, e.g., irrigation modifications, protective infrastructure, or altered operations. Precision horticulture improves preparedness by rendering decisions timelier and more responsive to evolving seasonal conditions

14. Making Smart Orchards Accessible to Small Growers

Precision horticulture can be initiated with cost-effective modifications instead of a complete technology replacement. A producer may begin with irrigation audits, a handful of moisture sensors and digital records. Farmer producer organisations and cooperatives can also facilitate access to such resources as drone surveys, weather stations and other specialized equipment through shared use. On-farm demonstrations at the local level should establish if the tool addresses a need under similar conditions. Guidance given in languages people are comfortable with can enhance their comprehension and self-efficacy. Adoption becomes more meaningful when growers can interpret the information themselves and judge its usefulness through healthier trees, better produce or lower operating costs.

SMART ORCHARDS FOR SMALL GROWERS



Its success depends on understanding crop biology and verifying information in the field. For the fruit grower, the most productive place to begin is with a well-defined problem, a suitable tool, and a willingness to test. Change can come in fits and starts, from better irrigation records to networked orchard systems. Smart orchards, by managing for actual and not assumed needs, can aim to support productive trees, quality fruit, stronger profits and a more sustainable horticulture

15. Overcoming Barriers to Adoption

The purchase cost is just part of the investment. Sensors need servicing, batteries must be replaced, devices can stop working, and software may have ongoing fees. Bad installation or false readings may cause bad decisions. Growers should trial the system in a representative block of their orchard and make a comparison with their current management before committing to a full system upgrade. Assessment should be made of water and input use, labour requirements, marketable yield, fruit quality and maintenance costs. So do clear arrangements for data ownership and access. A successful technology should stay reliable throughout the critical crop phases and provide advantages which are worth the total cost.

CONCLUSION

Precision horticulture is the integration of observation, horticultural knowledge and digital technology into a single practical management system. Sensors detect dynamic conditions, maps identify variability patterns, statistical tools inform decisions and machinery imposes variable treatment.