Reg. No.: COOP/2023/KOTA/201080/26/214

AGRICULTURE FORUM FOR TECHNICAL EDUCATION OF FARMING SOCIETY

Kota, Rajasthan

Plant Tissue Culture: Principles, Applications and Opportunities in Crop Production

Authors

Pallabi Pattanaik[1]*, Ashutosh Biswal[2], Ujjwal Kumar[3] Manthri Narendra[4], Udit Prakash[5]

[1]Guest Faculty, Department of Seed Science and Technology College of Agriculture, OUAT, Bhubaneswar, Odisha, India.
[2]M.Sc. Scholar, Department of Horticulture, College of Agriculture, Tripura University, Agartala, India
[3]Ph.D. Scholar, Department of Plant Physiology, Agricultural Biochemistry, Medicinal & Aromatic Plants, College of Agriculture, Indira Gandhi Krishi Vishwavidyalaya, Krishak Nagar, Raipur-492012, Chhattisgarh, India
[4]Research Scholar, Department of Agriculture, Malla Reddy University, Hyderabad, Telangana, India
[5]Ph.D. Scholar, Department of Genetics and Plant Breeding College of Agriculture, Agriculture University Jodhpur, 342304, Rajasthan, India

Leaflet History

Received : 01.11.2026
Revised : 05.11.2026
Accepted : 10.11.2026

INTRODUCTION

Agricultural production must respond to increasing food demand, changing climatic conditions, emerging plant diseases, and the need for efficient utilization of natural resources. Conventional propagation methods remain important for crop establishment, but they may be slow, season-dependent, or inadequate for producing sufficient quantities of uniform planting material. Plant tissue culture offers an alternative approach by allowing plant cells, tissues, and organs to develop under carefully controlled laboratory conditions.

Plant tissue culture involves the cultivation of plant material on a nutrient medium containing essential mineral elements, an appropriate carbon source, vitamins, and, where required, plant growth regulators. The process is conducted under aseptic conditions to prevent microbial contamination. Depending on the plant species and objective, cultured material may develop into shoots, roots, embryos, or complete plants (George et al., 2008).

The technique has become an important component of modern agricultural biotechnology because it supports large-scale propagation, crop improvement, germplasm conservation, and the production of specialized plant materials. Commercial micropropagation is widely used for several horticultural and plantation crops, while tissue culture also supports research in plant genetics, physiology, and molecular biology.

Its contribution to agriculture extends beyond the number of plants produced. Properly managed tissue culture systems can help distribute selected planting material, preserve valuable genotypes, and provide plant materials for breeding programmes.

However, successful application requires appropriate protocols, quality control, and effective transfer of laboratory-grown plants to field conditions.

2. Fundamental Principles of Plant Tissue Culture

2.1 Cellular totipotency

Totipotency is the capacity of a plant cell to regenerate into a complete plant under suitable conditions. This principle provides the biological foundation for many tissue culture applications. Although many plant cells retain the genetic information needed for plant development, their regenerative ability depends on species, genotype, tissue type, physiological condition, and culture environment.

Regeneration may occur through organogenesis, in which shoots and roots develop from cultured tissues, or through somatic embryogenesis, in which embryos originate from somatic cells without fertilization. Both pathways can support plant multiplication and crop improvement (Ikeuchi et al., 2016).

2.2 Aseptic conditions

Contamination by bacteria, fungi, and other microorganisms can damage cultures, compete for nutrients, and compromise experimental results. Therefore, explants, culture vessels, instruments, and nutrient media must be handled using appropriate sterilization and aseptic techniques.

Surface sterilization procedures should be optimized for the plant material because excessive treatment may injure living tissues. Maintaining clean working conditions and monitoring cultures regularly are essential for successful propagation.

2.3 Nutrient media and plant growth regulators

Culture media supply nutrients required for cellular metabolism and development. Common components include macronutrients, micronutrients, vitamins, a carbon source such as sucrose, and a gelling agent when a solid medium is required. The pH and physical properties of the medium also influence growth.

Plant growth regulators, particularly auxins and cytokinins, influence cell division, shoot formation, root development, and tissue differentiation. Their effects depend on concentration, the type of regulator used, and the characteristics of the explant. Consequently, culture conditions must be adjusted for individual species and genotypes.

2.4 Environmental control

Temperature, light intensity, photoperiod, humidity, and gas exchange can affect culture development. These conditions are managed according to the plant species and the developmental stage of the culture. Maintaining suitable environmental conditions supports consistent growth and improves the reliability of regeneration protocols.

3. Major Stages of Plant Tissue Culture



4. Applications of Plant Tissue Culture in Crop Production

4.1 Rapid multiplication of planting material

Micropropagation enables the production of large numbers of plants from a limited quantity of starting material. Under suitable conditions, multiplication can occur throughout the year without depending entirely on seasonal availability of propagules.

This approach is useful for crops that are vegetatively propagated, have low multiplication rates under conventional methods, or require uniform planting material. Banana, potato, sugarcane, ornamental plants, and several fruit crops are examples of crops for which tissue culture methods are used.

Micropropagation can help nurseries meet demand for planting material and support the expansion of commercial cultivation. Nevertheless, the economic benefits depend on production costs, multiplication rates, plantlet quality, and market demand.

4.2 Production of disease-free planting material

Vegetatively propagated crops may accumulate systemic pathogens through repeated propagation. Certain tissue culture methods, including meristem culture combined with suitable pathogen-testing procedures, can help produce planting material free from specific detectable pathogens.

This is particularly relevant to crops such as potato, banana, and sugarcane. However, tissue culture does not automatically guarantee pathogen-free plants. The effectiveness of sanitation depends on the pathogen, the explant selected, the treatment protocol, and the testing methods used.

Certified planting material and appropriate diagnostic procedures are therefore important when disease-free status is required.

4.3 Crop improvement and plant breeding

Tissue culture supports crop improvement by enabling the regeneration of plants from selected cells or tissues and by providing material for genetic manipulation. Somatic embryogenesis, organogenesis, and in vitro selection can contribute to developing or evaluating plants with desirable characteristics.

Tissue culture is also used in embryo rescue, which can help recover plants from certain crosses in which normal seed development is unsuccessful. In addition, doubled-haploid techniques can accelerate the development of genetically uniform breeding lines in suitable crops.

However, the success of these applications depends on the availability of reliable regeneration protocols and compatibility with the crop's genetic background.

4.4 Germplasm conservation

Plant tissue culture provides methods for conserving valuable genetic resources, including elite cultivars, rare species, and plant material that is difficult to maintain through conventional propagation.

Slow-growth storage can extend the interval between subcultures, while cryopreservation can preserve suitable plant tissues at ultralow temperatures. These techniques can complement field collections and seed banks, particularly for vegetatively propagated crops and species with difficult-to-store seeds.

Proper conservation requires attention to genetic stability, viability after storage, and the ability to regenerate plants when needed.

4.5 Production of secondary metabolites

Plant cell and tissue cultures can be used to investigate or produce valuable compounds, including pigments, phenolics, alkaloids, and other specialized metabolites. These compounds may have applications in pharmaceuticals, cosmetics, food ingredients, and related industries.

Production depends on the plant species, culture system, metabolite pathway, and environmental conditions. Although some cultured plant systems have commercial applications, laboratory production does not necessarily translate into economical large-scale manufacturing.

4.6 Support for agricultural biotechnology

Tissue culture is an important component of several genetic engineering and genome-editing approaches because manipulated cells or tissues often need to regenerate into complete plants. Regeneration allows researchers to evaluate whether the desired genetic change has been retained and whether the resulting plants display the intended characteristics.

Nevertheless, transformation and regeneration efficiencies differ among species and genotypes. Improving these processes remains an important research objective for crops that are difficult to regenerate.

Table 1: Selected crops and potential applications of tissue culture

Crop	Major application	Potential agricultural benefit
Banana	Shoot multiplication and sanitation	Rapid availability of planting material
Potato	Micropropagation and production of pathogen-tested material	Support for healthy seed-potato systems
Sugarcane	Rapid multiplication of selected planting material	Faster distribution of selected cultivars
Strawberry	Micropropagation	Large-scale nursery plant production
Orchids	Propagation from seeds or tissue explants	Multiplication of valuable ornamental plants
Oil palm	Somatic embryogenesis	Clonal propagation of selected material, subject to protocol limitations

5. Advantages of Plant Tissue Culture

Plant tissue culture offers several advantages when protocols are appropriately developed and managed. First, it can substantially increase the multiplication rate of selected plant material. Second, it enables production under controlled conditions, reducing dependence on seasonal propagation cycles. Third, it

can support the maintenance and distribution of selected genotypes. Fourth, specific tissue culture procedures can contribute to pathogen sanitation and the conservation of plant genetic resources.

Another advantage is the flexibility of the technique. The same broad principles can be adapted for propagation, breeding, conservation, and biotechnology research. Tissue culture can also provide uniform starting material for field experiments, helping researchers compare crop responses under defined conditions.

However, genetic uniformity should not be assumed for every regenerated plant. Some regeneration methods, particularly those involving prolonged culture or callus phases, may introduce somaclonal variation. Monitoring plant identity and important agronomic traits is therefore necessary when clonal fidelity is essential.

6. Limitations and Challenges

Despite its potential, plant tissue culture faces several biological, technical, and economic challenges.

Contamination: Microorganisms can spread rapidly through culture vessels and result in substantial losses. Maintaining aseptic conditions requires training, appropriate infrastructure, and quality-control procedures.

High establishment costs: Laboratories require equipment, trained personnel, energy, consumables, and suitable facilities. These expenses may limit access for small nurseries and resource-constrained farming communities.

Genotype-dependent responses: A protocol that performs well in one cultivar may be inefficient or unsuccessful in another. Protocol optimization can increase research time and production costs.

Somaclonal variation: Genetic or epigenetic changes may occur during culture, potentially affecting plant growth, appearance, or yield. The risk depends partly on the species and regeneration pathway.

Acclimatization losses: Plantlets developed under laboratory conditions may initially have limited capacity to regulate water loss or tolerate fluctuating environmental conditions. Gradual hardening and appropriate nursery management are essential.

Market and distribution constraints: Even when plants can be produced successfully, commercial adoption depends on reliable demand, transportation, plant health standards, and farmer confidence.

These challenges demonstrate that tissue culture success must be assessed across the complete production chain rather than by laboratory multiplication rates alone.

7. Emerging Opportunities and Future Prospects

7.1 Automation and advanced culture systems

Automated handling, improved culture vessels, and temporary immersion systems offer opportunities to reduce repetitive labour and improve multiplication efficiency. Temporary immersion systems periodically expose plant material to liquid medium while allowing intervals for aeration. Their suitability depends on the crop, vessel design, and operating conditions.

Automation may be particularly useful for commercial laboratories seeking consistent production at scale. However, equipment costs and the need for crop-specific optimization must be considered.

7.2 Integration with molecular techniques

Molecular markers, DNA-based diagnostic tools, and sequencing technologies can support plant identification, pathogen detection, and assessment of genetic fidelity. Combining these tools with tissue culture may strengthen quality assurance in propagation and conservation programmes.

7.3 Artificial intelligence and digital monitoring

Computer vision and data-analysis systems offer opportunities to monitor shoot development, detect visible abnormalities, record growth patterns, and support quality-control decisions. Sensors may also help maintain suitable temperature, humidity, and lighting conditions.

These technologies should be evaluated using validated datasets and practical performance measures. Automated observations cannot replace all laboratory testing or expert assessment.

7.4 Climate-resilient crop production

Tissue culture can support the multiplication and conservation of selected crop genotypes that are being evaluated for tolerance to drought, salinity, heat, or emerging diseases. It may also assist breeding programmes by providing material for regeneration and testing.

Nevertheless, tissue culture alone does not create climate resilience. Desired traits must be identified and validated through breeding, molecular analysis where appropriate, and field evaluation across relevant environments.

7.5 Strengthening farmer and nursery access

Partnerships among research institutions, commercial laboratories, nurseries, extension agencies, and farmer organizations can improve the availability of quality planting material. Training in plantlet handling, acclimatization, nursery management, and field establishment can further increase the likelihood that laboratory-produced plants deliver practical benefits.

CONCLUSION

Plant tissue culture is a versatile biotechnology with important applications in crop propagation, plant breeding, germplasm conservation, pathogen sanitation, and agricultural research. Its foundation in cellular totipotency enables the regeneration and multiplication of plant material under controlled conditions, while specialized methods extend its usefulness to conservation and crop improvement. Commercial micropropagation can support the supply of selected planting material for several horticultural and agricultural crops.

However, successful implementation depends on reliable protocols, contamination control, genetic fidelity, cost-effective production, and careful acclimatization. Advances in automation, molecular diagnostics, temporary immersion systems, and digital monitoring may improve efficiency and quality

assurance. Integrating these developments with conventional breeding, nursery management, and field evaluation offers opportunities to strengthen agricultural production systems. Ultimately, plant tissue culture should be regarded as a complementary tool within an integrated strategy for sustainable crop production rather than a standalone solution to agricultural challenges.

REFERENCES

Bhojwani, S. S., & Dantu, P. K. (2013). Plant tissue culture: An introductory text. Springer. https://doi.org/10.1007/978-81-322-1026-9

Debergh, P. C., & Zimmerman, R. H. (Eds.). (1991). Micropropagation: Technology and application. Kluwer Academic Publishers.

George, E. F., Hall, M. A., & De Klerk, G.-J. (2008). Plant propagation by tissue culture: Volume 1. The background (3rd ed.). Springer. https://doi.org/10.1007/978-1-4020-5005-3

Ikeuchi, M., Sugimoto, K., & Iwase, A. (2013). Plant callus: Mechanisms of induction and repression. The Plant Cell, 25(9), 3159–3173. https://doi.org/10.1105/tpc.113.116053

Ikeuchi, M., Ogawa, Y., Iwase, A., & Sugimoto, K. (2016). Plant regeneration: Cellular origins and molecular mechanisms. Development, 143(9), 1442–1451. https://doi.org/10.1242/dev.134668

Loyola-Vargas, V. M., & Ochoa-Alejo, N. (Eds.). (2018). Plant cell culture protocols (3rd ed.). Humana Press.

Murashige, T., & Skoog, F. (1962). A revised medium for rapid growth and bio assays with tobacco tissue cultures. Physiologia Plantarum, 15(3), 473–497. https://doi.org/10.1111/j.1399-3054.1962.tb08052.x

Neumann, K.-H., Kumar, A., & Imani, J. (2009). Plant cell and tissue culture—A tool in biotechnology: Basics and application. Springer. https://doi.org/10.1007/978-3-540-93883-5

Phillips, G. C., & Garda, M. (2019). Plant tissue culture media and practices: An overview. In Vitro Cellular & Developmental Biology—Plant, 55, 242–257. https://doi.org/10.1007/s11627-019-09983-5

Reed, B. M. (Ed.). (2008). Plant cryopreservation: A practical guide. Springer. https://doi.org/10.1007/978-0-387-72276-4

Thorpe, T. A. (Ed.). (1990). In vitro embryogenesis in plants. Kluwer Academic Publishers.

Vasil, I. K. (Ed.). (1994). Plant cell and tissue culture. Springer.